


Butanol for sustainable aviation

Sustainable Aviation Fuel - Workshop
20.11.2018

Dr. Helena Junicke



Outline

Introduction

- Alternative jet fuel pathways
- Alcohol-to-jet

Opportunities for butanol

- Butanol from waste
- The GreenLogic project

Methods and results

- Continuous enrichment studies
- Thermodynamic system design
- Modelling of full-scale reactors

Conclusions

Outlook

Alternative jet fuel pathways


- There are five ASTM D7566 certified pathways for synthetic paraffinic kerosene (SPK) production

Type	Pathway	Description
Gas-to-jet	FT-SPK	SPK from syngas via Fischer-Tropsch (FT)
	FT-SPK/A	FT-SPK with increased aromatic content
Oil-to-jet	HEFA-SPK	SPK from hydro-processed esters and fatty acids (HEFA)
Sugar-to-jet	SIP-SPK	Synthesized iso-paraffins (SIP) obtained via farnesene intermediate
Alcohol-to-jet	ATJ-SPK	SPK from C2-C5 alcohols

FOCUS


Yang et al. "An overview on performance characteristics of bio-jet fuels." *Fuel* 237 (2019): 916-936.

The alcohol-to-jet pathway




Opportunities

- ASTM D7566-18 permits blending iso-butanol and ethanol derived SPK with conventional jet fuels of up to 50%
- Sourcing **C2-C5 alcohols from waste**




Butanol from waste – How?

- Anaerobic mixed microbial cultures
- Non-standard conditions (pH 5, increased pH_2)




The GreenLogic project

- ➕ Production of **C2-C5 alcohols** from industrial and municipal waste streams
- ➕ Upgrading waste water treatment plants (WWTP) into water **resource recovery** facilities (WRRF)




Anaerobic digestion: The classical view



Current focus


Different microbial groups degrade complex waste streams into biogas.

Anaerobic digestion: Butanol enrichment




New focus

Operate at **pH 5** and **high pH_2** to promote alcohol formation.



Thermodynamic system design


- Unlocking butanol formation
- Increase H_2 , decrease pH (see arrow)




Modelling of full-scale anaerobic digesters

- From biogas towards butanol formation
- More than 10% of influent COD channeled to butanol (pH 5, $p_{H_2} > 1$ bar)

Butanol Productivity



Energy recovery



Conclusions

- **Butanol production** from waste under non-standard conditions
- **Mixed culture biotechnology** as a solution for cheap feedstock conversion into ATJ-SPK
- ATJ-SPK approval for C3-C5 alcohols expected in the **mid-term**; ethanol and iso-butanol are certified already

Outlook

- **Techno-economic analysis** of upstream (H_2 and butyrate sources) and downstream processing
- **Enrichment of new biocatalysts** for butanol formation (microorganisms, enzymes)
- Municipal and industrial waste streams as **cheap and sustainable feedstock** for jet fuel production

Thank you for your attention!

Project partners:

